**VOL. 124** 



# TITAN® RENTAL INDUSTRY

CATALOG



SPRAYING REDEFINED





We provide an experienced technical service department to assist with service issues along with an express parts program to ensure your Titan equipment is always available for your customers.

## THE RENTAL INDUSTRY'S BEST AND LONGEST WARRANTY

Our sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

#### LIMITED LIFETIME MOTOR WARRANTY

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

#### 2-YEAR MANUFACTURER'S DEFECTS

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

#### **EXPRESS PARTS PROGRAM**

- The most common repair parts are guaranteed to be in stock 100% of the time.
- ▶ If for any reason you or your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

For more information about the industry's leading warranty, please call Titan's Technical Service Department at 1-800-526-5362.

# Impact X<sup>™</sup> 410, X 440, & X 540ı

#### **DESIGNED FOR RENTAL**

The new Impact X 410, 440, and 540ı are the next generation of sprayer from Titan taking all the key features that made the previous models legends and making them X-ponentially better. Get next level performance and productivity with the powerful DuraLife™ HE Brushless Motor combined with the Logix™ Adaptive Pressure Control System, and the new MaxFX™ Fluid Section that maximizes durability and uptime. The Impact X 410, 440, and 540ı will take expectations and multiply them by the Power of X.





■ Impact X 410 Skid

■ Impact X 440 High Rider





■ The Impact X 410 and X 440, come with RX-80 Gun, 517 HEA Reversible Tip and 1/4" x 50' Airless Hose.



The Impact X 540i comes with RX-Pro Gun, 517 HEA Reversible Tip and 1/4" x 50' Airless Hose.

■ Impact 540 Low Rider

Available May 2024

	Impact X 410	Impact X 440	Impact X 540ı
SPECIFICATIONS			
Max. Delivery	0.47 gpm	0.54 gpm	0.54 gpm
Max. Tip Size (1-Gun)	0.021"	0.023"	0.023"
Max. Operating Pressure	3300 psi	3300 psi	3300 psi
Motor	7/8 DuraLife HE Brushless	1.2 hp DuraLife HE Brushless	1.2 hp DuraLife HE Brushless
WEIGHT			
Skid	30 lbs	30 lbs	30 lbs
Low Rider	30 lbs	30 lbs	30 lbs
High Rider	54 lbs	54 lbs	54 lbs
CONFIGURATIONS	PART NO.	PART NO.	PART NO.
Skid	2430897	2429069	2431656
Low Rider			2431658
High Rider	2430869	2430510	2431657

#### **DuraLife™ HE Brushless Motor**

- The DuraLife HE Brushless Motor makes the X Series sprayers the most powerful Impacts ever
- Durable, reliable, and longlasting, it runs cooler for years of maintenance-free operation
- Backed by our WearGuard® Lifetime Motor Warranty

#### Logix™ Adaptive Pressure Control System

- Enhances performance through all-new tip-sensing technology that adjusts power and pump speed delivering smooth and steady flow with consistent pressure
- Optimized to provide maximum power when using larger tips or big jobs and maximum control when using smaller tips or fine finish applications

#### **Smart Design - All New Features**

- Vertical Filter Housing completely drains coatings and cleans up to 3X faster with as little as 1/3 the water (Impact X 440 & 540) models)
- 360° adjustable ergonomic handle provides maximum comfort, grip, and portability
- Eliminate splashback with the improved lever action Prime/
   Spray Valve that ensures gradual and even pressure release
- Compact design is lighter than competitive models for increased portability and reduced storage footprint

#### MaxFX™ Fluid Section

- Quick-change fluid section (X 410 & X 440) replaceable within minutes on jobsites or in the shop
- No-Tools fluid section (540I) makes replacing even simpler



# THE IMPACT SERIES WITH (2) INTELLISYNC



**Bluetooth** 



IMPACT® 6401 & 6401A



IMPACT 8401 & 8401A

# CONNECT. CONTROL. MANAGE.

## ENHANCE THE SPRAYING EXPERIENCE WITH THE MYTITAN™ APP





#### **Real-Time Dashboard**

Monitor and adjust pressure, run time, paint usage, and tip life.





#### **Tip Wear Indicator**

Track your spray tip status in real time, with the industry's first and only tip wear indicator.





#### **Start-Up Assistant**

Get ideal pressure settings, tip size, and filter recommendations customized for every situation.



## **ULTIMATE THEFT PROTECTION**





#### IA Models

Features the industry's only real-time GPS tracking platform. Track equipment from anywhere at any time without the need for Wi-Fi or a phone connection.

\* ActivGuard tracking requires MyTitan account and yearly subscription fe

The Bluetooth\* word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Titan is under license. other trademarks and trade names are those of their respective owners.

#### **ULTIMATE PERFORMANCE**

#### Quad+ Packings™ and PermaLife™ Cylinder

- Self-adjusting and self-compensating packings extend life and deliver the best performance every time
- PermaLife Cylinder never wears or needs replacing
- Field serviceable fluid section can be replaced in minutes from any job site
- T-slot piston and release mechanism makes removal fast and easy

#### **TECHNOLOGY THAT MAKES AN IMPACT**

#### **DuraLife™ HE Brushless Motor**

- High-efficiency brushless motor maintains a higher working pressure, delivering smooth steady flow with no maintenance
- Backed by WearGuard<sup>™</sup> Lifetime Motor Warranty

#### Logix™ Adaptive Pressure Control System

- Tip sensing technology minimizes pressure while maximizing efficiency
- Quieter, steadier spraying with advanced diagnostics

#### **JOBSITE LIFE MADE EASY**

#### **EZTilt Cart**

- Makes bucket changes and cleaning easier
- Available on 840IA



#### **BUILT-IN INNOVATION**

#### **DigiTrac™ Technology**

- Advanced diagnostics display to help you spray smarter. Always spray the right way with settable working pressure readings and resettable gallon and run-time counters
- Available on 640ı & 840ı

#### **AutoOiler™ Technology**

- Deliver oil from the reservoir to the packings with the push of a button
- Keep the piston protected at all times for extended life
- Leave the constant need for a bottle of piston oil out of the equation

	IMPACT 640ı	IMPACT 640IA	IMPACT 840i	IMPACT 8401A	
SPECIFICATIONS					
Max Delivery	0.70	gpm	1.00 gpm		
Max Operating Pressure	3300	O psi	3300 psi		
Max Tip Size (1-Gun)	0.0	27"	0.032"		
Max Tip Size (2-Guns)			0.0	0.021"	
Horsepower/Motor	1.55 hp DuraLif	e HE Brushless	2.3 hp DuraLife HE Brushless		
Bluetooth Connectivity	Yes	Yes	Yes	Yes	
Feature	Digital Display	Real-Time GPS	Digital Display	Real-Time GPS	
WEIGHT					
Skid	38 lbs	38 lbs			
Low Rider	57 lbs	57 lbs	85 lbs	85 lbs	
High Rider	65 lbs	65 lbs	87 lbs	87 lbs	
CONFIGURATIONS	PART NO.	PART NO.	PART NO.	PART NO.	
Skid	2419187	2418753			
Low Rider	2419039	2419038	2419300	2419297	
High Rider	2419194	2419011	2419303	2419222	

TTITAN



■ The Impact 640<sub>I</sub>, 640<sub>I</sub>A, 840<sub>I</sub>, and 840<sub>I</sub>A come with RX-Pro Gun, 517 HEA Reversible Tip, and 1/4" x 50' Airless Hose.

#### Features:

#### PermaStroke Technology™

- No piston or packings, cylinder or clutch to wear or burn out
- Delivers top performance at pressures from 300 to 3300 psi when using small or large tips

#### **Field Serviceable**

The cartridge style inlet and outlet valves change out in minutes

#### Sureflo™ Pusher Valve

Unstick the lower ball valve with the push of a button. No need for a hammer.

#### **Multi-position Cart**

Allows for a low rider siphon or high rider direct immersion set-up

#### **Telescoping Handle**

For easy transport

#### **Large Semi-pneumatic Tires**

For increased portability and travel on rugged job sites

# Elite® 3000

# RECOMMENDED FOR SMALL & MEDIUM RESIDENTIAL AND COMMERCIAL PROJECTS

Perfect for everyday use on residential, property maintenance and small commercial applications applying most architectural coatings like stains, lacquers, sealers, enamels, primers, and latex house paints with ease.



	Elite 3000
SPECIFICATIONS	
Max. Delivery	0.60 gpm
Max. Tip Size (1-Gun)	0.025"
Max. Operating Pressure	3300 psi
Motor	1.2 hp DCX
WEIGHT	
Multi-Position	103 lbs
CONFIGURATIONS	PART NO.
Multi-Position	2402333



The Elite 3000 comes with RX-Pro Gun, 517 Reversible Tip and 1/4" x 50' Airless Hose.

#### **MULTI-POSITION CART**

- ▶ High Rider with rigid suction set
- Low Rider with flexible suction set
- Low Rider with hopper accessory (Hopper sold separately)





# Capspray<sup>™</sup> Series

#### **DESIGNED FOR FINE FINISHING PROJECTS**

High-end woodworking, cabinetry and furniture finishing projects require the high transfer efficiency that only Titan Capspray can deliver. These lightweight, portable HVLP sprayers will apply all fine finishes with speed and precision — maximizing both productivity and profit.

## Capspray 95

The Capspray 95 is a powerful and versatile turbine unit, spraying a wide range of coatings. Sprays stain to finish quality latex. Rugged, portable and dependable as you would expect.



## Capspray 105

With the Capspray 105 you can spray hard to atomize coatings with little to no thinning and increased production rates. The Capspray 105 will spray a wide range of coatings, including latex and other water based coatings.



## Capspray 115

This revolutionary, 6-stage portable turbine spraying system is the only turbine ever to achieve full HVLP capability. It combines quiet operation and high air cap pressure for the finest atomization possible. Capspray 115 will apply nearly all fine finish coatings with little to no reduction.



	Capspray 95	Capspray 105	Capspray 115
SPECIFICATIONS			
Air Pressure	9.5 psi	10.5 psi	11.5 psi
Turbine	4-Stage	5-Stage	2-Speed, 6-Stage
Hose Length	30'	30' and 5' Whip	30' and 5' Whip
Weight	23 lbs.	24 lbs.	23 lbs
Needle Nozzle Set (Included)	#3	#4	#4 & #5
CONFIGURATIONS	PART NO.	PART NO.	PART NO.
With Maxum II Gun	524032		
With Maxum Elite Gun		524033	524034*

<sup>\*</sup>includes Gravity Cup Accessory

#### Features:

#### **Powerful Atomization**

Atomizes coatings with little or no thinning.

#### **High Transfer Efficiency**

Ranges up to 90%.

#### **Dual Air Filtration**

An automotive type air filter on the atomizing air side

#### **Pre-Filter**

On both atomizing air and cooling air sides.

#### **Built-In Toolbox**

For needles, nozzles, air caps and nozzle wrench.

#### **Built-In Cup Holder**

For added storage a portability.

#### **Dirty Filter Warning Light**

Extend the life of your turbine and maintain maximum performance with clean filters.

#### **Sound Reduction Technology**

Lowers the decibel level on the job site







The Capspray 105 & 115 come with a 30' air hose, 5' whip hose, #4 & #5 (Capspray 115 only) Pro Sets and Maxum Elite Gun

#### Features:

#### **Accurate Pressure Control**

- Ranges from 400 to 3300 psi
- Spray low viscosity primers to heavy-bodied finish paints

#### **Vented Hydraulic Fill and Dip Stick**

Easy access for less mess

#### **Easy-Remove Filter**

Only 3 turns to remove

#### **Wrap Around Frame**

For extra strength and stability

#### **High Efficiency Cooling Fan**

Keeps the hydraulics cooler for longer life

#### **Heavy-Duty Frame**

Durable cart with telescoping handle and convenient lift handles

#### **Honda GX160 Engine**

Dependable, gas-powered engine with low-oil alert



#### **Convenient Pail Hook**

#### Convertible

Easy, tool-free convertibility for projects where gas engines are not permitted.

2.0 hp Electric Converto Kit (506-719) sold separately.



The PowrTwin 4900 and 6900 Plus come complete with RX-Pro Gun, 517 Reversible Tip and 1/4" x 50' Airless Hose.

# PowrTwin™ 4900/6900 Plus

#### **RECOMMENDED FOR LARGE JOBS WHERE A FLEXIBLE POWER SOURCE IS NECESSARY**

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 4900 and 6900 Plus are ideal for professionals who want the slow-stroking power and long-term durability only Titan hydraulic piston sprayers offer.



	4900 Plus	6900 Plus
SPECIFICATIONS		
Max. Delivery - Gas	1.50 gpm	2.25 gpm
Max. Tip Size (1-Gun)	0.038"	0.050"
Max. Tip Size (2-Guns)	0.028"	0.035"
Max. Delivery - Electric	1.10 gpm	1.25 gpm
Max. Tip Size (1-Gun)	0.031"	0.033"
Max. Tip Size (2-Guns)	0.023"	0.023"
Max. Operating Pressure	3300 psi	3300 psi
Motor (Electric)	2 hp TEFC DC	2 hp TEFC DC
Motor (Gas)	Honda GX160	Honda GX160
CONFIGURATIONS	PART NO.	PART NO.
With Gas Engine	290012	290013
With Electric Engine		290028

# PowrLiner 3500/3500S

# RECOMMENDED FOR MEDIUM AND LARGE-SIZED PROJECTS ON ALL PARKING LOTS AND ATHLETIC FIELDS

The Titan PowrLiner 3500 and 3500S sealed hydraulic line stripers deliver sharp and consistent line quality on a variety of surfaces including concrete, parking lots, and athletic fields. Featuring the revolutionary PermaStroke Technology which has no pistons, packings, cylinders or clutch to replace and backed by the WearGuard Elite Lifetime Fluid Pump Warranty, they are simple to operate and field serviceable, keeping contractors on the job.



#### PowrLiner 3500:

Includes RX-80 gun, 419 line striping tip, and SC-6+ 517 tip.

#### PowrLiner 3500S:

Includes RX-80 gun with 419 line striping tip plus dedicated RX-80 gun with 18" extension and SC-6+ 517 tip for stenciling. makes stenciling quick

and easy

#### Features:

#### **Sureflo Pusher Valve**

Makes system priming easy

#### **FlatLine Pulsation Dampener**

Eliminates pressure fluctuations to avoid hour glassing

#### **No-Spill Pump Filter**

Vertical design retains coating during removal

#### **Large 16" Pneumatic Tires**

Increases portability and makes traveling over rough surfaces easier

#### **Swing Back Design**

Increases operator leverage and reduces fatigue

#### **Heavy Duty Frame**

Resists harsh chemicals and corrosion

# PowrLiner 3500 72V

#### **BATTERY-POWERED, SEALED HYDRAULIC LINE STRIPER**

The Titan PowrLiner 3500 72V delivers even better lines than our gas-powered stripers thanks to the new Honda® battery technology that greatly reduces vibration. Featuring the revolutionary PermaStroke Technology™, which has no piston, packings, cylinders, or clutch to replace and backed by the WearGuard® Elite Lifetime Fluid Pump Warranty, it is simple to operate and field serviceable, keeping contractors on the job.



	PowrLiner 3500	PowrLiner 3500S	PowrLiner 3500 72V
SPECIFICATIONS			
Max. Delivery	0.75 gpm	0.75 gpm	0.75 gpm
Max. Tip Size (1-Gun)	0.027"	0.027"	0.027"
Max. Operating Pressure	3300 psi	3300 psi	3300 psi
Motor	Honda GX120	Honda GX120	Honda eGX
Weight	192 lbs	201 lbs	200 lbs
Part Number	537015	2417440	2445730B <b>- 1-Battery</b> 2445730B2 <b>- 2-Battery</b>

#### Features:

Powered by

# HONDA LITHIUM-ION BATTERY

Removable and quickly rechargeable

Tiernovable and quickly rechargeable

#### **PermaStroke Technology**

One piece inlet and outlet valve

#### **FlatLine Pulsation Dampener**

Eliminates pressure fluctuations to avoid hour glassing

#### **Sureflo Pusher Valve**

Makes priming easy

#### **Large 16" Pneumatic tires**

Increases portability and makes traveling over rough surfaces easier

#### Features:

#### **Flash Steam Technology**

Cuts heat-up time to 4 minutes

#### **Removable Water Tank**

for easy refills and faster cleaning

#### **Accessible Heating Element**

Improves serviceability and extends unit life

#### **Integrated Step**

Featuring anti-slip surface for that extra reach

#### **Descaling Indication Light**

Lets the user know when maintenance is needed

# ProStep<sup>™</sup> Steamer

The Titan ProStep Steamer is the fastest and easiest way to remove all types of wall coverings. It features Flash Steam Technology that cuts heat-up time to 4 minutes as well as on-board storage facilities. Ideal for wallpaper, even multiple layers as well as popcorn ceilings and textured coatings. Built to last take the tough use of professional and rental use.





All-In-One-Storage

Keeps components in one place

#### Available May 2024

	ProStep Steamer
SPECIFICATIONS	
Max. Flow Rate	0.24 gpm
Max. Pressure	1595 psi
Tank Capacity	1.35 gal
Step Max Weight	330 lbs
Hose Length	16 ft
Small Steam Plate Dimensions	5.90 x 2.95 in
Large Steam Plate Dimensions	12.25 x 9.53 in
Part No.	2444364



## Airless Guns and Kits

DESCRIPTION	PART NO.
RX-Pro Airless Gun with SC6+ Tip	538021
RX-Pro Gun, Hose and Tip Kit*	538023
RX-80 Airless Gun with SC6+ Tip and 2-Finger Trigger	538008
RX-80 Gun, Hose & Tip Kit with SC6+ Tip	538011

<sup>\*</sup>Includes additional a 3' whip hose.

# Airless Tips

DESCRIPTION	PART NO.
SC-6+ Airless Tip	662-XXX
SC-6+ RentSpray Bulk Tip (Minimum order of 5)	767-XXXT
Line Striping Tip (White)	697-XXX
Fine Finish Tip (Purple)	671-XXX
HEA Airless Tip (Green)	330-XXX
Reversible Tip Guard	289228
SC-6 Seal/Retainer Kit (5-pack)	661-020
HEA Gauge Assembly	580495

<sup>\*</sup>X's represent the specific tip size number.

## **Reach Tools**

DESCRIPTION	PART NO.
5" Gun Extension	2418848
10" Gun Extension	2418850
20" Gun Extension	2418851
30" Gun Extension	2418852

# Gun and Pump Filters

Unthreaded filter design for quick and easy replacement.

For use with RX-Pro $^{\circ}$  and RX-80 $^{\top}$ .

FILTERS	BULK Part No.	2-PACK PART NO.
Coarse (Green)	581-059	89957
Medium (White)	581-060	89958
Fine (Yellow)	581-062	89959
Extra Fine (Red)	581-061	89960

DESCRIPTION	PART NO.
Medium Mesh 440—1140 Manifold Filter**	730-067
Small Inlet Screen (Rock Catcher)	700-805
Large Inlet Screen (Rock Catcher)	710-046

<sup>\*\*</sup>Works with RX-80 and RX-Pro Guns

## Rollers

DESCRIPTION	PART NO.
Spray Roller & Spray Guide, Swivel w/Pole	2404013
Inner Feed Roller	2404445

## Airless Hoses

DESCRIPTION	PART NO.
1/4" x 50' Airless Hose (3300 psi)	316-505
3/16" x 3' Airless Whip Hose (3300 psi)	291004
Hose Wrap (1100' Roll)	521424



Hose Wrap (hose not included)

# Liquids

DESCRIPTION	PART NO.
Piston Lube <sup>™</sup> (4 oz. Bottle)	314-481
Piston Lube (8 oz. Bottle)	314-480
Liquid Shield Plus™ (4 oz. Bottle)	314-483
Liquid Shield Plus (1 Qt. Bottle)	314-482
Liquid Shield Plus™ (1 Gal. Bottle)	521418
Wallet Safety Card	154926

# Line Striping

DESCRIPTION	PART NO.
39" Handicap Stencil Kit	290932
Small Stencil Kit	290933
Large Stencil Kit	290934



# **RENTAL FAQs**

Proud partner of:

#### IS YOUR EQUIPMENT NOT WORKING PROPERLY?



# Contact the Titan Technical Services Department

- Toll Free 800-526-5362, Option 2
- TitanTechService@titantool.com
- Always answered by a real person!

# HOW ELSE CAN TITAN TECHNICAL SERVICES HELP ME?

- General product support, problems, and field diagnostics
- Identify part numbers
- · Determine warranty vs non-warranty issues
- · Advice & guidance on repairs
- "How-to" video resources available

Referral to your local Titan Authorized Service Center for more in-depth repairs as needed.





Introducing TechConnect from Titan, a live video troubleshooting platform that allows you to show our Technical Service Team exactly what your issue is. No more trying to describe what happened over the phone, you can now share directly from your smart device to help our team quickly identify the problem and provide a solution.

#### TROUBLE KEEPING THE SPRAYERS CLEAN?

- Flush sprayers with Titan LS-10 Liquid Shield™ Plus. This will keep the internal parts from sticking and corroding.
- Utilize our Cleaning Fee stickers for each pump going out the door to ensure expectation of rental return.







Cleaning Fee Stickers 2435729

LOOKING FOR STORE ASSISTANCE, PRODUCT TRAINING OR ON-SITE DEMOS?

CONTACT ONE OF OUR TITAN SALES REPS TODAY!

To find your local Titan Rental Representative, please contact **TITAN CUSTOMER SERVICE** at 1-800-526-5362 or **TITANCUSTOMERSERVICE@TITANTOOL.COM**