



TITAN[®]

RENTAL INDUSTRY CATALOG



SCAN FOR
DIGITAL COPY



RENT. TURN. REPEAT.



IMPACT

SERIES

ELECTRIC AIRLESS
SPRAYERS

TAKING PERFORMANCE TO THE NEXT LEVEL

IMPACT X 540i

POWERED BY INTELLISYNC
Bluetooth

IMPACT X 440

IMPACT X 410

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Titan is under license. other trademarks and trade names are those of their respective owners.

We provide an experienced technical service department to assist with service issues along with an express parts program to ensure your Titan equipment is always available for your customers.

THE RENTAL INDUSTRY'S BEST AND LONGEST WARRANTY

Our sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

LIMITED LIFETIME MOTOR WARRANTY

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

2-YEAR MANUFACTURER'S DEFECTS

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

EXPRESS PARTS PROGRAM

- The most common repair parts are guaranteed to be in stock 100% of the time.
- If for any reason you or your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

For more information about the industry's leading warranty, please call Titan's Technical Service Department at 1-800-526-5362.

ELECTRIC AIRLESS

Impact X™ 410, X 440, & X 540i

DESIGNED FOR RENTAL

The new Impact X 410, 440, and 540i are the next generation of sprayer from Titan taking all the key features that made the previous models legends and making them X-potentially better. Get next level performance and productivity with the powerful DuraLife™ HE Brushless Motor combined with the Logix™ Adaptive Pressure Control System, and the new MaxFX™ Fluid Section that maximizes durability and uptime. The Impact X 410, 440, and 540i will take expectations and multiply them by the Power of X.

DURALIFE BRUSHLESS HE MOTOR

Makes the X 440 the most powerful 440 ever

LOGIX ADAPTIVE PRESSURE CONTROL SYSTEM

Tip-sensing technology that adjusts power and pump speed delivering smooth and steady flow with consistent pressure

PROTECTED ON/OFF SWITCH

Guards against job site wear and tear

LEVER ACTION BYPASS VALVE

Eliminate splashback with gradual pressure release

360° ADJUSTABLE HANDLE

Maximum comfort, grip, and portability

VERTICAL FILTER HOUSING

Drains and cleans up to 3x faster and with as little as 1/3 the water

MAXFX FLUID SECTION

Replaceable in minutes on the job site

SUREFLO PUSHER VALVE

Releases the stuck lower ball valve with the push of a button





Impact X 440 High Rider



Impact X 540i Low Rider



The Impact X 410 and X 440, come with RX-80 Gun, 517 HEA Reversible Tip and 1/4" x 50' Airless Hose.



The Impact X 540i comes with RX-Pro Gun, 517 HEA Reversible Tip and 1/4" x 50' Airless Hose.

	Impact X 410	Impact X 440	Impact X 540i
SPECIFICATIONS			
Max. Delivery	0.47 gpm	0.54 gpm	0.60 gpm
Max. Tip Size (1-Gun)	0.021"	0.023"	0.025"
Max. Operating Pressure	3300 psi	3300 psi	3300 psi
Motor	7/8 DuraLife HE Brushless	1.2 hp DuraLife HE Brushless	1.2 hp DuraLife HE Brushless
WEIGHT			
Skid	30 lbs	30 lbs	30 lbs
Low Rider	30 lbs	30 lbs	30 lbs
High Rider	54 lbs	54 lbs	54 lbs
CONFIGURATIONS	PART NO.	PART NO.	PART NO.
Skid	2430897	2429069	2431656
Low Rider	----	----	2431658
High Rider	2430869	2430510	2431657

2 RENTAL INDUSTRY | titantool.com

RENTAL INDUSTRY | titantool.com 3

INTRODUCING

THE IMPACT SERIES WITH

 INTELLISYNC[®]



IMPACT[®] 640i & 640iA



IMPACT 840i & 840iA

CONNECT. CONTROL. MANAGE.


ENHANCE THE SPRAYING EXPERIENCE WITH THE MYTITAN[™] APP



INCOMMAND

Real-Time Dashboard

Monitor and adjust pressure, run time, paint usage, and tip life.



TIP AWARE

Tip Wear Indicator


Track your spray tip status in real time, with the industry's first and only tip wear indicator.



PROSTART

Start-Up Assistant

Get ideal pressure settings, tip size, and filter recommendations customized for every situation.



ULTIMATE THEFT PROTECTION



IA Models

Features the industry's only real-time GPS tracking platform. Track equipment from anywhere at any time without the need for Wi-Fi or a phone connection.

* ActivGuard tracking requires MyTitan account and yearly subscription fee

The Bluetooth[®] word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Titan is under license. Other trademarks and trade names are those of their respective owners.

ULTIMATE PERFORMANCE

Quad+ Packings[™] and PermaLife[™] Cylinder

- Self-adjusting and self-compensating packings extend life and deliver the best performance every time
- PermaLife Cylinder never wears or needs replacing
- Field serviceable fluid section can be replaced in minutes from any job site
- T-slot piston and release mechanism makes removal fast and easy

TECHNOLOGY THAT MAKES AN IMPACT

DuraLife[™] HE Brushless Motor

- High-efficiency brushless motor maintains a higher working pressure, delivering smooth steady flow with no maintenance
- Backed by WearGuard[™] Lifetime Motor Warranty

Logix[™] Adaptive Pressure Control System

- Tip sensing technology minimizes pressure while maximizing efficiency
- Quieter, steadier spraying with advanced diagnostics



BUILT-IN INNOVATION

DigiTrac[™] Technology

- Advanced diagnostics display to help you spray smarter. Always spray the right way with settable working pressure readings and resettable gallon and run-time counters
- Available on 640i & 840i

AutoOiler[™] Technology

- Deliver oil from the reservoir to the packings with the push of a button
- Keep the piston protected at all times for extended life
- Leave the constant need for a bottle of piston oil out of the equation

JOB SITE LIFE MADE EASY

EZ Tilt Cart

- Makes bucket changes and cleaning easier
- Available on 840iA



	IMPACT 640i	IMPACT 640iA	IMPACT 840i	IMPACT 840iA
SPECIFICATIONS				
Max Delivery	0.70 gpm		1.00 gpm	
Max Operating Pressure	3300 psi		3300 psi	
Max Tip Size (1-Gun)	0.027"		0.032"	
Max Tip Size (2-Guns)	-----		0.021"	
Horsepower/Motor	1.55 hp DuraLife HE Brushless		2.3 hp DuraLife HE Brushless	
Bluetooth Connectivity	Yes	Yes	Yes	Yes
Feature	Digital Display	Real-Time GPS	Digital Display	Real-Time GPS
WEIGHT				
Skid	38 lbs	38 lbs	-----	-----
Low Rider	57 lbs	57 lbs	85 lbs	85 lbs
High Rider	65 lbs	65 lbs	87 lbs	87 lbs
CONFIGURATIONS				
Skid	2419187	2418753	-----	-----
Low Rider	2419039	2419038	2419300	2419297
High Rider	2419194	2419011	2419303	2419222



■ The Impact 640i, 640iA, 840i, and 840iA come with RX-Pro Gun, 517 HEA Reversible Tip, and 1/4" x 50' Airless Hose.

CAPSPRAY[™] SERIES

HVLP FINE FINISH
SPRAYERS

FINISHING REDEFINED



PROTECT YOUR EARS, AND YOUR INVESTMENT WITH WHISPERTECH[™]

Technology that automatically slows the turbine 14 seconds after the gun trigger is released, allowing the unit to cool for longer life and reduced heat during application.

(Available on Capspray X 115 only)



BREATHE BETTER. SPRAY SMARTER.

Pre-filters on atomizing and cooling air sides plus automotive-style filter on atomizing side deliver unbelievably clean air and remarkably consistent fan patterns.



YOUR NEW FAVORITE STASH

Keep your needles, nozzles, air caps, and nozzle wrench easily accessible with the onboard toolbox.

Capspray X[™] 95, 105, & 115

HVLP FINE FINISH SPRAYERS

X really does mark the spot — the spot where you start saving and spraying like never before. Titan's legendary Capspray HVLP units have taken the neXt step in power and performance with these new units. From the lightest clear coats to the heaviest enamels the new Capspray X units deliver with trusted Titan durability no matter the project.



DIAL UP PERFECT RESULTS ON EVERY JOB WITH VARIABLE PRESSURE CONTROL (VPC)

It's never been easier to match your pressure to your coating. Just adjust the dial to your preferred setting and go — like having multiple machines in one premium package.

(Available on Capspray X 115 only)

	Capspray X 95	Capspray X 105	Capspray X 115
SPECIFICATIONS			
Turbine	4-Stage	5-Stage	6-Stage
Max Air Pressure	9.5 psi	10.5 psi	11.5 psi
Projector Set	#3	#3, #4	#3, #4, #5
Hose Length	30'	30' with 5' Whip	30' with 5' Whip
Weight	21 lbs	24 lbs	24 lbs
Part Number	2458984	2458990	2459040
Items Included	30' Air Hose, #3 Pro Set, Maxum II Gun with CapLiner System	30' Air Hose, 5' Whip Hose, #3 & #4 Pro Sets, Maxum II Gun with CapLiner System	30' Air Hose, 5' Whip Hose, #3, #4, #5 Pro Sets, Maxum II Gun with CapLiner System

HVLP FINE FINISH

INTRODUCING THE CAPLINER[™] SYSTEM



SPRAY AT ANY ANGLE.

Spray at any angle, even upside down, for those hard to reach places.



SAVE MORE. CLEAN FASTER. SPRAY BETTER.

Industry-leading material savings, simplified cleanup, and consistent flow to optimize spray performance.



Replacement Lids & Liners

3-pack (2471432)
15-pack (2467490)

Complete Cup Assembly 1-pack (2466410)



Features:

Accurate Pressure Control

- ▀ Ranges from 400 to 3300 psi
- ▀ Spray low viscosity primers to heavy-bodied finish paints

Vented Hydraulic Fill and Dip Stick

Easy access for less mess

Easy-Remove Filter

Only 3 turns to remove

Wrap Around Frame

For extra strength and stability

High Efficiency Cooling Fan

Keeps the hydraulics cooler for longer life

Heavy-Duty Frame

Durable cart with telescoping handle and convenient lift handles

Honda GX160 Engine

Dependable, gas-powered engine with low-oil alert



Convenient Pail Hook

Convertible

Easy, tool-free convertibility for projects where gas engines are not permitted.

2.0 hp Electric Converto Kit (2464186B) sold separately.




▀ The PowrTwin 4900 and 6900 Plus come complete with RX-Pro Gun, 517 Reversible Tip and 1/4" x 50' Airless Hose.

PowrTwin™ 4900/6900 Plus

RECOMMENDED FOR LARGE JOBS WHERE A FLEXIBLE POWER SOURCE IS NECESSARY

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 4900 and 6900 Plus are ideal for professionals who want the slow-stroking power and long-term durability only Titan hydraulic piston sprayers offer.



	4900 Plus	6900 Plus
SPECIFICATIONS		
Max. Delivery - Gas	1.50 gpm	2.25 gpm
Max. Tip Size (1-Gun)	0.038"	0.050"
Max. Tip Size (2-Guns)	0.028"	0.035"
Max. Delivery - Electric	1.10 gpm	1.25 gpm
Max. Tip Size (1-Gun)	0.031"	0.033"
Max. Tip Size (2-Guns)	0.023"	0.023"
Max. Operating Pressure	3300 psi	3300 psi
Motor (Electric)	2 hp TEFC DC	2 hp TEFC DC
Motor (Gas)	Honda GX160	Honda GX160
CONFIGURATIONS		
With Gas Engine	290012	290013
With Electric Engine	----	290028

PowrLiner™ Series

RECOMMENDED FOR MEDIUM AND LARGE-SIZED PROJECTS ON ALL SURFACE TYPES

The Titan PowrLiner gas and battery-powered sealed hydraulic line strippers deliver sharp and consistent line quality. Backed by the WearGuard® Elite Lifetime Fluid Pump Warranty they are simple to operate and field serviceable.



PowrLiner 3500

Built with technology that delivers a best-in-class stripe even on the toughest surfaces.

Includes RX-80 Gun, 419 Striping Tip, and SC-6+ 517 Stencil Tip

PowrLiner 3500S

The power and performance of the 3500 with a dedicated stencil gun to save time on the job.

Includes two RX-80 Guns, 419 Striping Tip, 18' Extension, and SC-6+ Stencil Tip



PowrLiner 5500 with SmartArm™

Two-gun striping capability in a powerful sealed-hydraulic package.

Includes two RX-80 Guns and two 419 Striping Tips



	BATTERY-POWERED			
	PowrLiner 3500	PowrLiner 3500S	PowrLiner 3500 72V	PowrLiner 5500
SPECIFICATIONS				
Max. Delivery	0.75 gpm	0.75 gpm	0.75 gpm	0.75 gpm
Max. Tip Size (1-Gun)	0.027"	0.027"	0.027"	0.027"
Max. Operating Pressure	3300 psi	3300 psi	3300 psi	3300 psi
Motor	Honda GX120	Honda GX120	Honda eGX	Honda GX120
Weight	192 lbs	201 lbs	200 lbs	227 lbs
Part Number	537015	2417440	2445730B - 1-Battery 2445730B2 - 2-Battery	2468737

Features:

PermaStroke Technology™

No piston, packings, cylinders, or clutch to replace

FlatLine Pulsation Dampener™

Eliminates pressure fluctuations to avoid hour glassing

Sureflo™ Pusher Valve

Makes system priming easy

No-Spill Pump Filter

Vertical design retains coating during removal

Large 16" Pneumatic Tires

Makes traveling over rough surfaces easier

Swing Back Design

Increases operator leverage and reduces fatigue

Heavy Duty Frame

Resists harsh chemicals and corrosion

Powered by **HONDA**

LITHIUM-ION BATTERY

Removable and quickly rechargeable (PowrLiner 3500 72V only)



▀ Stencil Kits
Part No. 2418165



Compatible with the PowrLiner 3500 and 5500 models for easy clean-up.

Features:

Optimized for HEA & Fine Finish Tips
1600 Max psi delivers first-rate low pressure airless performance

Smart Design
Operate in Backpack, Stationary and Side-Carry for whatever the jobsite demands, plus a 1.25-gallon hopper

Intelligent Bosch Power Management
Shuts down the unit when entering low battery mode to prevent poor pattern quality

Fast Coverage
Spray up to 1400 square feet per charge on a single battery

CUT THE CORD

Lightweight and powerful Bosch battery for fatigue-free operation

Features:

JetForce Technology®
Delivers the power of a 4-stage turbine and control of HVLP

Quick Change System
Switch between Front Ends in a snap

FlexFinish® Pro Front End
Optimized for higher production on larger surfaces and architectural coatings

FineFinish™ Pro Front End
Optimized for Fine Finish applications with a round pattern for small surfaces

Fast Coverage
Spray up to 700 square feet per charge on a single battery

Impact X™ 120 18V

VERSATILE SMALL JOB SPRAYER

Step up to industry-exclusive portability, flexibility, and comfort with the Impact X 120. Optimized for Low Pressure Airless use and featuring three operational configurations so you're ready to go no matter what the job calls for.

	Impact X 120
SPECIFICATIONS	
Max Delivery	0.31 gpm
Max Operating Pressure	1600 psi
Max Tip Size (1-Gun)	HEA 0.017"
Batteries Included	2 – 18v 4Ah Bosch ProCore Batteries 1 – Battery Charger
Hopper Capacity	1.25 gal
Hose Length	9'
Gun Included	RX-80 2-finger w/517 HEA Tip
Part Number	



FlexSpray™ Pro 18V

FlexSpray puts the power of airless and the control of HVLP into one versatile sprayer creating the first multi-tool for painting professionals. FlexSpray's advanced technology was developed for professionals who spray a variety of coatings with multiple applications.

	FlexSpray Pro 18V
SPECIFICATIONS	
Weight	4.3 lbs (1.95 kg)
Flow Rate	0.31 gpm (1.2 lpm)
Battery Voltage	18 V
Battery Amp Hour	4
Charge Time	LESS THAN AN HOUR 32 minutes for 80% 50 minutes for 100%
Part Number	2443773B

Comes complete with FlexFinish Front End, FineFinish Front End, (2) 4Ah Batteries, Battery Charger, 4 Cleaning Brushes, 1 Paint Filter, 2 Cup Seals, 2 Nozzle Seals, 2 Paint Filters and Storage Bag.



ProStep™ Steamer

The Titan ProStep Steamer is the fastest and easiest way to remove all types of wall coverings. It features Flash Steam Technology that cuts heat-up time to 4 minutes as well as on-board storage facilities. Ideal for wallpaper, even multiple layers as well as popcorn ceilings and textured coatings. Built to last take the tough use of professional and rental use.

	ProStep Steamer
SPECIFICATIONS	
Max. Flow Rate	0.24 gpm
Max. Pressure	1595 psi
Tank Capacity	1.35 gal
Step Max Weight	330 lbs
Hose Length	16 ft
Small Steam Plate Dims	5.90 x 2.95 in
Large Steam Plate Dims	12.25 x 9.53 in
Part Number	2444364

Features:

Flash Steam Technology
Cuts heat-up time to 4 minutes

Removable Water Tank
for easy refills and faster cleaning

Integrated Step
Featuring anti-slip surface for that extra reach



All-In-One-Storage
Keeps components in one place

PARTS & ACCESSORIES



Airless Guns and Kits

DESCRIPTION	PART NO.
RX-Pro Airless Gun with HEA Tip	538020
RX-Pro Gun, Hose and Tip Kit*	538033
RX-80 Airless Gun with HEA Tip and 2-Finger Trigger	538006
RX-80 Gun, Hose & Tip Kit with HEA Tip	2454979

*Includes additional a 3' whip hose.

Airless Tips

DESCRIPTION	PART NO.
SC-6+ Airless Tip	662-XXX
SC-6+ RentSpray Bulk Tip (Minimum order of 5)	767-XXX
Line Striping Tip (White)	697-XXX
Fine Finish Tip (Purple)	671-XXX
HEA Airless Tip (Green)	330-XXX
Reversible Tip Guard	289228
SC-6+ Seal/Retainer Kit (5-pack)	661-020
HEA Gauge Assembly	580495

*X's represent the specific tip size number.

Reach Tools

DESCRIPTION	PART NO.
5" Gun Extension	2418848
10" Gun Extension	2418850
20" Gun Extension	2418851
30" Gun Extension	2418852

Gun and Pump Filters

Unthreaded filter design for quick and easy replacement. For use with RX-Pro and RX-80.

FILTERS	BULK PART NO.	2-PACK PART NO.
Coarse (Green)	581-059	89957
Medium (White)	581-060	89958
Fine (Yellow)	581-062	89959
Extra Fine (Red)	581-061	89960

DESCRIPTION	PART NO.
Impact X Manifold Filter - Medium, 60 Mesh	2440406
Impact, Elite & PowrLiner 3500 Manifold Filter - Medium, 60 Mesh	730-067
Small Inlet Screen (Rock Catcher)	700-805
Large Inlet Screen (Rock Catcher)	710-046



Airless Hoses

DESCRIPTION	PART NO.
1/4" x 50' Airless Hose (3300 psi)	316-505
3/16" x 3' Airless Whip Hose (3300 psi)	291004
Hose Wrap (750' Roll)	521424

Liquids

DESCRIPTION	PART NO.
Piston Lube™ (4 oz. Bottle)	314-481
Piston Lube (8 oz. Bottle)	314-480
Liquid Shield Plus™ (4 oz. Bottle)	314-483
Liquid Shield Plus (1 Qt. Bottle)	314-482
Liquid Shield Plus™ (1 Gal. Bottle)	521418

Line Striping

DESCRIPTION	PART NO.
39" Handicap Stencil Kit	290932
Small Stencil Kit	290933
Large Stencil Kit	290934

Swivels

DESCRIPTION	PART NO.
1/4" Micro Swivel	2454970
3/8" Micro Swivel	2454971
1/4" EZ Swivel	2452975



LIVE VIDEO SUPPORT

Live video troubleshooting platform that allows you to show our Technical Service Team exactly what your issue is – no more trying to describe what happened over the phone.

GET HELP IN 4 EASY STEPS

1. Start your call with Tech Service over the phone by calling 1-800-526-5362
2. You can request live video support, or our team may offer it
3. Accept the video invitation link provided by Titan Technical Service via text
4. You're sharing live video from your smart device and on your way to a solution

IS YOUR EQUIPMENT NOT WORKING PROPERLY?



Contact the Titan Technical Services Department

- Toll Free 800-526-5362, Option 2
- TitanTechService@titantool.com
- WhatsApp or SMS 763-202-3218
- Always answered by a real person!

HOW ELSE CAN TITAN TECHNICAL SERVICES HELP ME?

- General product support, problems, and field diagnostics
- Identify part numbers
- Determine warranty vs non-warranty issues
- Advice & guidance on repairs
- Referral to your local Titan Authorized Service Center for more in-depth repairs as needed

Impact X™ 440
High Rider



Impact X 410
High Rider

TROUBLE KEEPING THE SPRAYERS CLEAN?

- Flush sprayers with Titan LS-10 Liquid Shield™ Plus. This will keep the internal parts from sticking and corroding.
- Utilize our Cleaning Fee stickers for each pump going out the door



Hose Shield

521424



LS-10 Liquid Shield Plus

314-482



Cleaning Fee Stickers

2435729

SCAN TO WATCH OUR NEW
RENTAL CHECK-IN VIDEO



LOOKING FOR STORE ASSISTANCE, PRODUCT TRAINING OR ON-SITE DEMOS?
CONTACT YOUR TITAN SALES REPS TODAY!

To find your local Titan Rental Representative, please contact
TITAN CUSTOMER SERVICE at **1-800-526-5362** or
TITANCUSTOMERSERVICE@TITANTOOL.COM