



TITAN[®]

RENTAL INDUSTRY CATALOG



SPRAYING **REDEFINED**



BUILT FOR RENTAL

TITAN SPRAYERS ARE THE #1 ANSWER FOR THE DEMANDS OF THE RENTAL INDUSTRY.



THE ORIGINAL QUICK CHANGE FLUID SECTION

Quick Change Fluid Section

Titan makes it fast and easy with the T-Slot Piston and its one-piece, modular housing.

Self-Adjusting/Compensating Packings

Our precision-machined Quad+™ packings last up to 50% longer than the competition and give you the best performance every time you spray.

Non-Wearable Pump Cylinder

Save on long-term repair costs. The pump cylinder never wears and never needs replacing.

Longer Life

Titan's durable, stainless steel ball valves and reversible tungsten carbide seats last twice as long as standard seats — and at half the cost!

PRIME SPRAY/VALVE

MANIFOLD
FILTER
HOUSING

SUREFLO™
PUSHER VALVE

We provide an experienced technical service department to assist with service issues along with an express parts program to ensure your Titan equipment is always available for your customers.

THE RENTAL INDUSTRY'S BEST AND LONGEST WARRANTY

Our sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

LIMITED LIFETIME MOTOR WARRANTY

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

2-YEAR MANUFACTURER'S DEFECTS

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

EXPRESS PARTS PROGRAM

- The most common repair parts are guaranteed to be in stock 100% of the time.
- If for any reason you or your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

For more information about the industry's leading warranty, please call Titan's Technical Service Department at 1-800-526-5362.

Impact® 410 & 440

DESIGNED FOR THE RENTAL INDUSTRY

When it comes to getting powerful performance at an affordable price, nothing comes close to the Impact 410. Perfectly suited for residential, property maintenance and small commercial applications, the Impact 410 applies all lacquers, stains, standard primers, paints and architectural coatings with ease.

The Impact 440 sets the standard for the rental industry with ease of use, straightforward maintenance and the power to spray tough coatings. The Impact 440 is designed to spray 50-75 gallons per week and is built to apply coatings for residential, municipal, property maintenance and small commercial applications.



■ Impact 410 Skid

■ Impact 440 Skid

■ Impact 440 Low Rider

	Impact 410	Impact 440
SPECIFICATIONS		
Max. Delivery	0.47 GPM	0.54 GPM
Max. Tip Size (1-Gun)	0.023"	0.023"
Max. Operating Pressure	3100 psi	3300 psi
Motor	3/4 hp DCX Motor	7/8 hp, DCX Motor
WEIGHT		
Skid	34 lbs.	36 lbs.
High Rider	55 lbs.	65 lbs.
Low Rider	----	57 lbs.
CONFIGURATIONS		
	PART NO.	
Skid	532052	805-000
High Rider	532053	805-016
Low Rider	----	805-019

Features:

Sureflo™ Pusher Valve

Primes the first time, every time. (440 Skid)

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up. (440 Skid)

Quad+ Packings™ / Permalife™ Cylinder

No wearable cylinder and self-adjusting/self compensating packings deliver the longest life and lowest repair costs in the industry. (440 Skid)

All-metal Construction

With stainless steel piston rod and balls

Manifold Filter

Filter cleans paint, preventing abrasives from reaching the gun tip. (410 Skid)

Large Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip, giving a better rental experience. (440 Skid)

AutoOiler™

Deliver oil to the packings with the push of a button. (440 Skid only)

Extra Deep Holster

Keeps the painting area cleaner. (440 Skid only)

Spare Fluid Section:

Impact 440/640 Skid and Low Rider
805-207A

Impact 440/640 High Rider
805-233A



■ The Impact 410 & 440 comes with RX-80 Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Sureflo™ Pusher Valve

Primes the first time, every time.



Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

Quad+ Packings™ / Permalife™ Cylinder

No wearable cylinder and self-adjusting/self compensating packings deliver the longest life and lowest repair costs in the industry.

Large Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip, giving a better rental experience.

AutoOiler™

Deliver oil to the packings with the push of a button.

Extra Deep Holster

Keeps the painting area cleaner. (Skid only)



The Impact 640 comes with RX-Pro Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

Impact® 640

RECOMMENDED FOR SMALL AND MEDIUM RESIDENTIAL AND COMMERCIAL PROJECTS

The Impact 640 is a step-up performer designed to spray 75-100 gallons per week and is built to apply coatings for residential, municipal, property maintenance and small commercial applications.



	Impact 640
SPECIFICATIONS	
Max. Delivery	0.70 GPM
Max. Tip Size (1-Gun)	0.027"
Max. Tip Size (2-Guns)	0.017"
Max. Operating Pressure	3300 psi
Motor	1.55 hp Brushless DC
WEIGHT	
Skid	42 lbs.
High Rider	64 lbs.
Low Rider	69 lbs.
CONFIGURATIONS	
PART NO.	
Skid	805-002
High Rider	805-004
Low Rider	805-005



Impact 640 Skid

Impact® 840

RECOMMENDED FOR MEDIUM & LARGE RESIDENTIAL, COMMERCIAL AND INDUSTRIAL PROJECTS

The Impact 840 provides 2 gun performance for contractor customers that need a high output system. The Impact 840 is designed to spray 100-300 gallons per week and is built to apply coatings for residential, municipal, property maintenance and commercial applications.



Impact 840	
SPECIFICATIONS	
Max. Delivery	1.00 GPM
Max. Tip Size (1-Gun)	0.032"
Max. Tip Size (2-Guns)	0.021"
Max. Operating Pressure	3300 psi
Motor	2.30 hp Brushless DC
WEIGHT	
High Rider	99 lbs.
Low Rider	85 lbs.
CONFIGURATIONS	PART NO.
High Rider	805-009
Low Rider	805-010



Impact 840
Low Rider

Features:

DigiTrac™ Integrated Digital Display

Includes anti-theft lock to protect your investment.

- Advanced diagnostics
- Pressure reading
- Resettable gallon and run time counter

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Sureflo™ Pusher Valve

Primes the first time, every time.

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

Quad+ Packings™ / Permalife™ Cylinder

No wearable cylinder and self-adjusting/self compensating packings deliver the longest life and lowest repair costs in the industry.

Large Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip, giving a better rental experience.

AutoOiler™

Deliver oil to the packings with the push of a button.

Extra Deep Holster

Keeps the painting area cleaner. (Skid only)



The Impact 840 comes with RX-Pro Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

Features:

PermaStroke™ Technology

- No piston or packings, cylinder or clutch to wear or burn out
- Delivers top performance at pressures from 300 to 3300 psi when using small or large tips

Field Serviceable

- The cartridge style inlet and outlet valves change out in minutes

Sureflo™ Pusher Valve

- Unstick the lower ball valve with the push of a button. No need for a hammer.

Multi-position Cart

- Allows for a low rider siphon or high rider direct immersion set-up

Field Serviceable

- With only two cartridge-style wear parts that change in only 5 minutes

Telescoping Handle

Large Semi-pneumatic Tires

Elite® 3000

RECOMMENDED FOR SMALL & MEDIUM RESIDENTIAL AND COMMERCIAL PROJECTS

Perfect for everyday use on residential, property maintenance and small commercial applications applying most architectural coatings like stains, lacquers, sealers, enamels, primers, latex house paints, and dryfall with ease.



MULTI-POSITION CART

- High Rider with rigid suction set
- Low Rider with flexible suction set
- Low Rider with hopper accessory (hopper sold separately)



■ The Elite 3000 comes with RX-Pro Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

Elite 3000	
SPECIFICATIONS	
Max. Delivery	0.60 GPM
Max. Operating Pressure	3300 psi
Max. Tip Size (1-Gun)	0.025"
Weight	103 lbs
Motor	1.2 hp DCX
CONFIGURATIONS	PART NO.
Elite 3000	2402333

Capspray™ Series

DESIGNED FOR FINE FINISHING PROJECTS

High-end woodworking, cabinetry and furniture finishing projects require the high transfer efficiency that only Titan Capspray can deliver. These lightweight, portable HVLV sprayers will apply all fine finishes with speed and precision – maximizing both productivity and profit.

Capspray 95

The Capspray 95 is a powerful and versatile turbine unit, spraying a wide range of coatings. Sprays stain to finish quality latex. Rugged, portable and dependable as you would expect.

Capspray 105

With the Capspray 105 you can spray hard to atomize coatings with little to no thinning and increased production rates. The Capspray 105 will spray a wide range of coatings, including latex and other water based coatings.

Capspray 115

This revolutionary, 6-stage portable turbine spraying system is the only turbine ever to achieve full HVLV capability. It combines quiet operation and high air cap pressure for the finest atomization possible. Capspray 115 will apply nearly all fine finish coatings with little to no reduction.



Features:

Five-stage Turbine (Capspray 105)

Atomizes coatings with little or no thinning.

Six-stage Turbine (Capspray 115)

- Two-speed switch
- Atomize coatings with little or no thinning

Powerful Atomization

Atomizes coatings with little or no thinning.

High Transfer Efficiency

Ranges up to 90%.

Dual Air Filtration

An automotive type air filter on the atomizing air side
(Available on 95, 105 and 115 models)

Pre-Filter

On both atomizing air and cooling air sides.

Built-In Toolbox

For needles, nozzles, air caps and nozzle wrench.

Built-In Cup Holder

For added storage a portability.

Dirty Filter Warning Light

Extend the life of your turbine and maintain maximum performance with clean filters.

Sound Reduction Technology

Lowest the decibel level on the job site
(Capspray 115)



The Capspray 105 & 115 come with a 30' air hose, 5' whip hose, #3, #4 & #5 Pro Sets and the Maxum Elite gun

	Capspray 95	Capspray 105	Capspray 115
SPECIFICATIONS			
Air Pressure	9.5 psi	10.5 psi	11.50 psi
Turbine	4-Stage Tangential	5-Stage Tangential	2-Speed, 6-Stage Tangential
Hose Length	30'	30' and 5' Whip	30' and 5' Whip
Weight	21 lbs.	22 lbs.	23 lbs
Needle Nozzle Set (Included)		#4	#4 & #5
CONFIGURATIONS			
	PART NO.	PART NO.	PART NO.
With Maxum II Gun	524032	----	----
With Maxum Elite Gun	----	524033	524034*

*includes Gravity Cup Accessory

Features:

Slow-Stroking Hydraulic Piston

Maximizes the life of the fluid section.

Accurate Pressure Control

Ranges from 400 to 3300 psi.
Spray low viscosity primers to heavy-bodied finish paints.

Durable

Longest stroking portable sprayer in the market.

Easy-Remove Filter

Only 3 turns to remove.



Convertible

Easy, tool-free convertibility for projects where gas engines are not permitted.

2.0 hp Electric Converto Kit (506-719) sold separately.

PowrTwin™ 4900 Plus

RECOMMENDED FOR LARGE JOBS WHERE A FLEXIBLE POWER SOURCE IS NECESSARY

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 4900 Plus is ideal for professionals who want the slow-stroking power and long-term durability only Titan hydraulic piston sprayers offer.



PowrTwin 4900 Plus comes complete with RX-Pro Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

	4900 Plus
SPECIFICATIONS	
Max. Delivery - Gas	1.50 GPM
Max. Delivery - Electric	1.10 GPM
Max. Tip Size (1-Gun) - Gas	0.038"
Max. Tip Size (2-Guns) - Gas	0.028"
Max. Tip Size (1-Gun) - Electric	0.031"
Max. Tip Size (2-Guns) - Electric	0.023"
Max. Operating Pressure	3300 psi
Engine	Honda GX160
CONFIGURATIONS	
With Gas Engine	PART NO. 290012

PowrLiner™ 3500

RECOMMENDED FOR MEDIUM-SIZED PROJECTS ON ALL PARKING LOTS AND ATHLETIC FIELDS

The revolutionary PowrLiner 3500, built with technology that delivers a best in class line with sharp and consistent line quality on even the toughest surfaces. It's the perfect intermediate line striper for Rental companies that need a maneuverable line striper for projects where the big machines just aren't profitable to operate.

PowrLiner 3500 includes RX-80 Gun, Premium TR¹ Line Striping Tip and 1/4" x 50' Airless Hose.

SPECIFICATIONS		PowrLiner 3500
Max. Delivery - Gas		0.75 GPM
Max. Tip Size (1-Gun)		0.027"
Max. Operating Pressure		3300 psi
Engine - Gas		Honda GX120
Part No.		0537015



Features:

PermaStroke Technology

One piece inlet and outlet valve

FlatLine Pulsation Dampener™

Eliminates pressure fluctuations to avoid hour glassing

Sureflo Pusher Valve

Makes priming easy

Large 16" Pneumatic tires

Increases portability and makes traveling over rough surfaces easier


PowrLiner 4500

RECOMMENDED FOR MEDIUM-SIZED PROJECTS ON ALL PARKING LOTS AND ATHLETIC FIELDS

The revolutionary PowrLiner 4500, built with technology that delivers a best in class line with sharp and consistent line quality on even the toughest surfaces. It's the perfect intermediate line striper for Rental companies that need a maneuverable line striper for projects where the big machines just aren't profitable to

PowrLiner 4500 includes two RX-80 Guns, Premium 419 TR¹ Line Striping Tips and 1/4" x 50' Airless Hoses.

SPECIFICATIONS	PowrLiner 4500 Standard	PowrLiner 4500 w/ SmartArm
Max Delivery - Electric	1.25 GPM	1.25 GPM
Max. Tip Size (1-Gun)	0.036"	0.036"
Max. Tip Size (2-Gun)	0.025"	0.025"
Max. Operating Pressure	3300 psi	3300 psi
Engine - Gas	Honda GX160 with Pull Start	Honda GX160 with Pull Start
Part No.	2407313	2407312



Features:

PermaStroke Technology

One piece inlet and outlet valve

FlatLine Pulsation Dampener

Eliminates pressure fluctuations to avoid hour glassing

Sureflo Pusher Valve

Makes priming easy

SmartArm™

Pivots and lifts, making line adjustments and transportation quick and easy

Adjustable Engine Mount Plate

Optimizes weight distribution for walk-behind or LazyLiner use

Large 16" Pneumatic tires

Increases portability and makes traveling over rough surfaces easier

Features:

2 Gallon Capacity

So you can work longer and with fewer refills

Built-In Step

Allows user to reach the average ceiling height without the need for a step ladder.

On-Board Storage

For 16' cord set, 16' cool run hose and large and small steam plates.

Water Level Indicator

Swivel Connection on Steam Plate

To avoid hose kinks

SteamMaster

The Titan SteamMaster is the fastest and easiest way to remove all types of wall coverings. It features a 2-gallon capacity tank as well as on-board storage facilities. Ideal for wallpaper, even multiple layers as well as popcorn ceilings and textured coatings. Built to last take the tough use of professional and rental use.



	SteamMaster
SPECIFICATIONS	
Capacity	2 Gal.
Power	120 Volts (1500 Watts)
Weight	19 lbs.
Part No.	OLMB150NA



■ RX-Pro



■ RX-80



■ SC-6+ Reversible Tip

■ Hose Wrap
(hose not included)

■ Pump Runner

RentSpray Accessory Kit

766-900

This kit includes tips, guards, seals and more.

Airless Guns and Kits

DESCRIPTION	PART NO.
RX-Pro Airless Gun with SC6+ Tip	538021
RX-Pro Gun, Hose and Tip Kit*	538023
RX-80 Airless Gun with SC6+ Tip and 2-Finger Trigger	538008
RX-80 Gun, Hose & Tip Kit with SC6+ Tip	538011

*Includes additional a 3' whip hose.

Airless Tips

DESCRIPTION	PART NO.
SC-6+ Airless Tip	662-XXX
SC-6+ RentSpray Bulk Tip (Minimum order of 5)	767-XXXT
TR ¹ Line Striping Tip (White)	697-XXX
TR ² Line Striping Tip (Yellow)	694-XXXXXXX
TR ¹ HEA Airless Tip (Green)	330-XXX
Reversible Tip Guard	289228
SC-6 Seal/Retainer Kit (5-pack)	661-020
HEA Gauge Assembly	580495

*X's represent the specific tip size number.

Reach Tools

DESCRIPTION	PART NO.
6" Gun Extension	651-070
12" Gun Extension	651-071
18" Gun Extension	651-072
24" Gun Extension	651-073
Pole Swivel	538029

Gun and Pump Filters

Unthreaded filter design for quick and easy replacement.

For use with RX-Pro™, RX-80™, G-10, LX-30, LX-40, LX-50, LX-70, S-3 and S-7.

FILTERS	BULK PART NO.	2-PACK PART NO.
Coarse (Green)*	581-059	89957
Medium (White)	581-060	89958
Fine (Yellow)	581-062	89959
Extra Fine (Red)	581-061	89960

*Manifold filter for Advantage 400.

DESCRIPTION	PART NO.
Medium Mesh 440-1140 Manifold Filter**	730-067
Small Inlet Screen (Rock Catcher)	700-805
Large Inlet Screen (Rock Catcher)	710-046

**Works with RX-80 and RX-Pro Guns

Rollers

DESCRIPTION	PART NO.
Spray Roller & Spray Guide, Swivel w/Pole	2404013
Inner Feed Roller	2404445

Airless Hoses

DESCRIPTION	PART NO.
1/4" x 50' Airless Hose (3300 psi)	316-505
3/16" x 3' Airless Whip Hose (3300 psi)	291004
Hose Wrap (1100' Roll)	521424

Part Renu™
Starter Kit



Tip Clean™



Liquids and Cleaning Kits

DESCRIPTION	PART NO.
Piston Lube™ (4 oz. Bottle)	314-481
Piston Lube (8 oz. Bottle)	314-480
Liquid Shield Plus™ (4 oz. Bottle)	314-483
Liquid Shield Plus (1 Qt. Bottle)	314-482
Liquid Shield Plus™ (1 Gal. Bottle)	521418
Tip Clean™	314-207
Pump Shield (12 oz. Bottle) (Minimum order of 6)	297055
Part Renu Starter Kit	521010
Part Renu (1 Gal. Refill)	521423
Pump Runner	286008
Wallet Safety Card	154926

Line Striping

DESCRIPTION	PART NO.
39" Handicap Stencil Kit	290932
Small Stencil Kit	290933
Large Stencil Kit	290934

RENTAL FAQs

IS YOUR EQUIPMENT NOT WORKING PROPERLY?

Call the Titan Technical Services Department

- Toll Free 800-526-5362, Option 2
- TitanTechService@titantool.com
- Always answered by a real person!

HOW WILL TITAN TECHNICAL SERVICES HELP ME?

- General product support, problems, and field diagnostics
- Identify Part Numbers
- Determine warranty vs non-warranty issues
- Advice & guidance on repairs
- "How-to" video resources available

WARRANTY CONCERNS?

We've got you covered with the Best and Longest Rental Warranty in the industry!

- Lifetime Motor Warranty
- 2-Year Manufacturer's Defects
- SteamMaster – 3 Year Tank, 1 Year Electrical



Impact® 640 HR

Impact 440 Skid

Now on:
SmartEquip

TROUBLE KEEPING THE SPRAYERS CLEAN?

1. Protect from overspray with our Pump Shield spray or Hose Shield wrap
2. Utilize our Cleaning Fee stickers for each pump going out the door



Pump Shield™
297055



Hose Shield
521424



Cleaning Fee Stickers
LB40354

CONTACT ONE OF OUR TITAN SALES REPS TODAY

FOR STORE ASSISTANCE, PRODUCT TRAINING, OR ON-SITE DEMOS

TO FIND YOUR LOCAL TITAN RENTAL REPRESENTATIVE, PLEASE CONTACT TITAN CUSTOMER SERVICE AT
1-800-526-5362 or **titancustomerservice@titantool.com**



Call Technical Services at
1-800-526-5362
for complete warranty information.

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.