



TITAN®

FINE FINISH CATALOG



SCAN FOR
DIGITAL COPY



SPRAYING **REDEFINED**®





THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

Four-Year Manufacturer's Defect

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc.

Lifetime DuraLife™ HE Brushless and PMDC Motor Warranty

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

Limited Lifetime DCX Motor Warranty

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

Gas Engine Warranty

Three-year Honda® and two-years all others.

Two-Year Turbine Warranty

Lifetime Drive Train Warranty

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

Lifetime Warranty on PermaStroke Technology™ Fluid Pump

Get a lifetime warranty on the PermaStroke Technology fluid pump. If the fluid pump fails for any reason (including wear) for as long as you own the sprayer, we will replace the fluid pump at no cost.

35-Day Satisfaction Guarantee

If for any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit toward the purchase of a Titan sprayer of larger size and value.

Express Parts Program

- More than 550 Authorized Service Centers nationwide
- The most common repair parts are guaranteed to be in stock 100% of the time
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

GO TO TITANWEARGUARD.COM FOR MORE INFORMATION.



TITAN®

FINE FINISHING

04 CAPSPRAY™

Perfect for the smaller to medium size contractor who is looking for a lightweight, portable sprayer

12 AIRLESS & AIR-ASSISTED AIRLESS

Air-assisted sprayers that provide a superior, consistent finish.

08 MAXUM™ GUNS

Finishing tools designed for maximum control and accurate delivery.

14 GM 3600 PRO GUN

Ergonomic comfort and a reversible tip system without sacrificing finish quality.

10 CAPSPRAY ACCESSORIES

Use Titan Capspray accessories to ensure the best sprayer performance.

15 AIRLESS ACCESSORIES

Check out our hard-working assortment of accessories for fine finish airless sprayers.

11 FINE FINISH ACCESSORIES

For finishing professionals who expect flawless results, we have the tools for the perfect finish.

OUR MISSION

When your business depends on the tools you use,
you need to be able to count on the people who make them.

Our relentless commitment to helping every professional painter
be their best leads to better work, improved ROI and growing business.

CAPSPRAY™ SERIES

Woodworking, cabinetry and furniture finishing projects require the performance that only Titan Capspray can deliver. These high volume, low pressure sprayers are the turbine-powered equivalent of paint brushes; designed and manufactured to apply a broad range of fine finish coatings—from stains to paint—with speed and pinpoint control. With more than three decades of dependable performance in the field and workshops around the world, Capspray series HVLP sprayers have earned a reputation as the best in the industry.



PRECISION AND SPEED WITH FLAWLESS RESULTS

High-end woodworking, cabinetry, and furniture projects require a finish that only a Capspray HVLP system can deliver. The Capspray Series is efficient and durable with unmatched portability and intelligent design making jobsite life easier.



Best-in-Class HVLP Guns

Deliver the ultimate finish and maximum control.



Automotive Quality Filter with Pre-filter

High-performance automotive type air filter delivers clean atomizing air and a consistent fan pattern.



Onboard Tools

Convenient built-in cup holder, tool box for air caps and projector sets



Quick Change Dual Air Filtration

No tools required to change filters for atomizing and cooling air filters.



Dirty Filter Warning Light

Notifies you when it's time to replace the air filter



Choose From 3- to 6-stage Power

Spray light- to heavy-bodied coatings without thinning.

CAPSPRAY

75 / 95

7.50 / 9.50 psi

Recommended for light-bodied coatings

Features:

Three-stage Turbine (Capspray 75)

Perfect for light-bodied coatings like lacquers and stains.

Four-stage Turbine (Capspray 95)

Perfect for light- to medium-bodied coatings like lacquers and stains.

High Transfer Efficiency

Ranges up to 90%.

Dual Air Filtration

Atomizing air has a pre-filter and automotive type air filter; turbine cooling air is also filtered.

Onboard Toolbox

For needles, nozzles, air caps and nozzle wrench.

Built-in Gun & Cup Holder

For added storage and portability.

Dirty Filter Warning Light

Extend the life of your turbine and maintain maximum performance with clean filters.

Sound Reduction Technology

Lowers the decibel level on the jobsite



Capspray 75

Ideal for medium residential or commercial jobs, the 3-stage Capspray 75 will handle enamel and multi-color coatings in addition to stains, sealers, light-body varnishes, shellac and lacquer.

Capspray 95

As business grows, so does the size of the projects. When more power is needed, professionals rely on the Capspray 95, a powerful, versatile 4-stage turbine unit designed to apply a wide range of coatings, from ultra-thin stains to heavy latex paint. This sprayer includes state-of-the-art atomizing air filtration for best finish quality, plus a longer air hose and more advanced noise control for extended use.



The Capspray 75 comes with a 25' air hose and Capspray 95 a 30' hose.

	Capspray 75	Capspray 95
SPECIFICATIONS		
Air Pressure	7.50 psi	9.50 psi
Turbine	3-stage	4-stage
Hose Length	25'	30'
Gun Included	Maxum II	Maxum II
Pro Set	#3	#3
Weight	20.5 lbs	21 lbs
Recommended Usage	Light-bodied coatings	Light/medium-bodied coatings
Part Number	524031	524032

CAPSPRAY 105 / 115

10.50 / 11.50 psi

Recommended for light and medium-bodied coatings

Features:

Five-stage Turbine (Capspray 105)

Atomizes coatings with little or no thinning.

Six-stage Turbine (Capspray 115)

- Two-speed switch
- Atomize coatings with little or no thinning

High Transfer Efficiency

Ranges up to 90%.

Dual Air Filtration

Atomizing air has a pre-filter and automotive type air filter; turbine cooling air is also filtered.

Onboard Toolbox

For needles, nozzles, air caps and nozzle wrench.

Built-in Gun & Cup Holder

For added storage and portability.

Dirty Filter Warning Light

Extend the life of your turbine and maintain maximum performance with clean filters.

Sound Reduction Technology

Lowers the decibel level on the jobsite



Capspray 105

Larger projects involving heavier-bodied coatings require the 5-stage power and long-term dependability of the Capspray 105, a solid – but remarkably lightweight – workhorse HVLP sprayer capable of atomizing thick latex or solvent-based paints, enamels or varnishes with little or no thinning. This is the sprayer professionals use when projects expand or workshops fill with cabinets and furniture.

Capspray 115

This revolutionary, 6-stage portable turbine spraying system is the only turbine ever to achieve full HVLP capability. It combines quiet operation and high air cap pressure for the finest atomization possible. Capspray 115 will apply all fine finish coatings with little to no reduction.

	Capspray 105	Capspray 115
SPECIFICATIONS		
Air Pressure	10.50 psi	11.50 psi
Turbine	5-Stage	2-Speed, 6-Stage
Hose Length	30' with 5' Whip	30' with 5' Whip
Gun Included	Maxum Elite	Maxum Elite
Pro Set	#3, #4	#3, #4, #5
Weight	22 lbs	23 lbs
Recommended Usage	Medium to heavy-bodied coatings	Medium to heavy-bodied coatings
Part Number	524033	524034



The Capspray 105 & 115 come with a 30' air hose, 5' whip hose and the Maxum Elite gun.

MAXUM™ SERIES GUNS

Designed for maximum control and accurate delivery, the Maxum series guns are an excellent choice for contractors and finishing professionals who need a precise fine finishing tool.




MAXUM II GUN

The Maxum II provides precision and control while delivering a flawless finish. Designed with large internal air passages that provide the versatility to spray light- and heavy-bodied coatings with ease.

- Ability to convert from non-bleeder to bleeder gun
- Comes standard with a #3 Pro Set (needle set)

CONFIGURATION	PART NO.
Maxum II Gun with Pressure Fed 1-Quart Cup	524041



Maxum Gun Pro Set Recommendation Chart

MATERIAL	PROJECTOR SET RECOMMENDED	VISCOSITY CUP (SECONDS)
Nitrocellulose Lacquer	2 to 3	18-22 sec.
Stain / Varnish	2 to 3	18-22 sec.
Lacquers	3 to 4	18-25 sec.
Shellac	3 to 4	18-22 sec.
Enamels	3 to 4	30-35 sec.
Alkyd	3 to 4	18-22 sec.
Water-Based Acrylic	3 to 4	30-35 sec.
Polyurethane	3 to 4	20-30 sec.
Sealer	3 to 4	30-35 sec.

MATERIAL	PROJECTOR SET RECOMMENDED	VISCOSITY CUP (SECONDS)
Ceiling Paint	4 to 5	20-30 sec.
Water-Based Epoxy	4 to 5	20-30 sec.
Latex Primer	4 to 5	20-25 sec.
Oil-Based Multi-Color	4 to 5	30-35 sec.
Metal Latex	4 to 5	30-35 sec.
Water-Based Multi-Color	5 to 6	30-35 sec.
Adhesives, High-Viscosity Gels	5 to 6	30-35 sec.
Extra Heavy Viscosity	6 to 7	25-35 sec.
Orange Peel, Sand Texture	7	----

PRECISION AND SPEED WITH FLAWLESS RESULTS



MAXUM ELITE GUN

The Maxum Elite gun is designed for contractors and finishing professionals who expect flawless results with the versatility to use a gravity or siphon fed cup gun.


- Removable and reversible fluid chamber design enables use with standard pressurized cup and pressurized gravity cup
- Indexed air and fluid controls for easy use
- Fluid needle stays with packing and head assembly for color and tip size changes—allows for easier storage and clean up
- Integrated check valve in gun head
- Comes standard with #3 Pro Set (needle set)

CONFIGURATION	PART NO.
Pressure Fed 1-Quart Cup	524027
Gravity Gun with Stand	524052
Front End Accessory w/ #3 Pro Set	524073
Front End Accessory / #4 Pro Set	524074
Gravity Cup Accessory w/ Stand	524045

Maxum Elite Gravity Cup with Stand
0524045



■ Maxum Elite gun with Gravity Cup and Stand



Guns and Projector Sets

Maxum Guns		
DESCRIPTION	PART NO.	
Maxum Elite Gun with 1-Qt. Cup	524027	
Maxum Elite Gun with Gravity Cup	524052	
Maxum II Gun with 1-Qt. Cup	524041	

Maxum II Projector Sets		
DESCRIPTION	SIZE	PART NO.
#2 Pro Set (Fine Finish)	.031" (0.8 mm)	276254
#3 Pro Set (All-Purpose)	.051" (1.3 mm)	276227
#4 Pro Set (High Output)	.070" (1.8 mm)	276228
#5 Pro Set (High Output)	.086" (2.2 mm)	276229
#6 Pro Set (High Output)	.097" (2.4 mm)	276245
#7 Pro Set (Highest Output)	.102" (2.6 mm)	524211

Maxum Elite Projector Sets		
DESCRIPTION	SIZE	PART NO.
#2 Pro Set (Fine Finish)	.031" (0.8 mm)	524293
#3 Pro Set (All-Purpose)	.051" (1.3 mm)	524294
#4 Pro Set (High Output)	.070" (1.8 mm)	524295
#5 Pro Set (High Output)	.086" (2.2 mm)	524296
#6 Pro Set (High Output)	.097" (2.4 mm)	0524297
#7 Pro Set (Highest Output)	.102" (2.6 mm)	524298

Accessories

Pressure Pots and Accessories		
DESCRIPTION	PART NO.	
2.5 Gallon Pressure Pot Liner (Ea.)	275702	
2.5 Gallon Pressure Pot Liner (12-Pack)	295272	
Solvent Resistant Gasket	508943	

Cups and Accessories		
DESCRIPTION	PART NO.	
1-Qt. Cup Assembly w/Swivel Tube	277183	
1-Qt. Replacement Cup	275573	
2-Qt. Remote Cup System (complete)	524203	
Air-tight Lid for Paint Cups	508124	
Cup Assembly without Swivel Tube	275247	
600 ml HVLP Top Feed Gravity Cup Assembly w/Stand	524045	

Maxum Elite Front Ends		
DESCRIPTION	PART NO.	
1-Qt. Cup Assembly w/Swivel Tube and Elite Gun Front End, #3 Pro Set	524073	
1-Qt. Cup Assembly w/Swivel Tube and Elite Gun Front End, #4 Pro Set	524074	

Hoses and Fittings Air Hose		
DESCRIPTION	PART NO.	
20' x 3/4" Flex Air Hose	275276	
25' x 3/4" Flex Air Hose	275277	
30' x 3/4" Flex Air Hose	277337	
30' Air Hose, 3/8" ID (CS 10000)	295689	
5' x 3/4" Air Whip Hose	0524405A	
30' x 3/8" Material Hose	277348	
Quick Disconnect (F) Turbine	275625	

Maintenance & Repair Kits

Maintenance Kits (Maxum II Gun)		
DESCRIPTION	PART NO.	
Deluxe Kit	279941	
Standard Kit	279942	

Maintenance Kits (Maxum Elite Gun)		
DESCRIPTION	PART NO.	
Deluxe Kit	524189	
Standard Kit	524188	

Transfer Pumps Kits/Parts		
DESCRIPTION	PART NO.	
Piston/Piston Seal Kit	524178	
Valve Replacement Kit	524194	
Siphon Tube	524945	
Return Tube	524946	
Fuse, 400mA	522436	

Gun Repair Kits/Parts		
DESCRIPTION	PART NO.	
Replacement Check Valve Assemblies (3-Pack)	297051	
Check Valve Seals (10-Pack)	276257	
Gun Repair Kit for Maxum II Gun	277943	
Gun Repair Kit for Maxum Elite Gun	524187	
Spring Plate Assembly	275250	
Gun Repair Kit for 3100 Gun (Siphon & Pressure Fed)	550985	
Gun Repair Kit for 3100 Gun (Gravity Fed)	0552916	

Cup Gaskets		
DESCRIPTION	PART NO.	
White 1-Quart Cup Gaskets Hot Solvents (6-Pack)	297052	
White 2-Quart Cup Gaskets Hot Solvents	524337	

Replacement Filters		
DESCRIPTION	PART NO.	
Air Filter for Capspray 10,000 (6-Pack)	295274	
Air Filter (pleated) Capspray 95, 105, 115	0524523A	
Air Filter, 45 PPI, Black (Motor Cooling Main Filter) Capspray 75, 95, 105, 115	0524528A	
Air Filter Kit, 65 PPI, Green (Atomizing Air Main Filter) Capspray 75	529390	
Pre-Filter Kit (contains 2) Capspray 55, 75, 95, 105, 115	0524526A	
Spring Plate Assembly	275250	
Gun Repair Kit for 3100 Gun (Siphon & Pressure Fed)	550985	
Capspray 75 filter kit, includes pre-filters, cooling filter and turbine filter	275793	
Capspray 95, 105, 115 filter kit, includes pre-filters, cooling filter and turbine filter	275794	



■ Gun Repair Kit
277943

♥ Cup Gaskets



Cup Gaskets

DESCRIPTION	PART NO.
2-Quart	550955
2.5 Gallon	552308
Gravity Cup 5 Pack	552918
Mini Gravity Cup 5 Pack	552920

♥ Air and Fluid Hoses



Pressure Pot Liners

DESCRIPTION	PART NO.
12 Pack	51-261-12
60 Pack	51-261-60

Air and Fluid Hoses

DESCRIPTION	PART NO.
30' x 3/8" Air (red)	295689
30' x 1/4" Fluid (black)	277348
50' x 1/4" Fluid (black)	550892
5' Fluid Hose	550861

3M® PPS™ Paint Preparation System

This system is a unique, closed paint system that eliminates the need for separate mixing cups and filters. Instead, paint is mixed in a liner bag which marries to a direct filter and is then mounted on the spray gun with a dedicated adapter.

- As freshly-filtered paint is dispensed, the liner bag collapses, allowing the spray gun to function at any angle.
- A cleaner, faster system, safe from outside contamination that saves time and money on the cost of solvent for cleaning the gun and its parts.



DESCRIPTION	PART NO.
Series 2.0 3M PPS Starter kit (Cup, Gun Adapter and 10 lid and liners.)	CA91-589
Series 2.0 Pressure Cup	CA91-560
Series 2.0 Lids/Liners 10-pack	CA91-562
Series 2.0 PPS Adapter for Pressure Spray Gun	CA91-575

Two-Quart Remote Cup 524003

Transform your turbine system into a high-capacity sprayer without adding the cost and weight of a bulky air compressor.

For use with Capspray 75–115 sprayers.
5' Air whip hose sold separately.



HVLP Power Cart 524000

Ideal for jobs where mobility from one application area to another is critical to the speedy completion of the project.

- Auto Shut-off for quiet operation, lower heat, greater efficiency and longer operating life
- Positive lock mechanism for easy mounting of all Capspray turbine units
- Solid polymer/steel construction combines strength and light weight
- 2.5 gallon pressure pot is powder-coated and equipped with regulator and gauge
- Telescoping handle with hose wrap for easy storage of air and fluid hose
- Pot liners available for easy clean up



Cleaning Kit with Case 10-501

- 6 pc Precision Needle Set
- Handle for Precision Needle
- Handle for Detail End Brush
- Paint Gun Lube, 30 ml
- 3 pc Detail End Brush (1/4", 3/8", 1/2")
- 12" Pick-Up Tube Brush
- 5-piece Precision Mini-Twisted Brush
- Nylon Bristle Parts Brush
- Brass Power Pick-Up Tube Brush
- 1/4" HVLP Brush
- 1/2" Body Cavity Brush



17-Piece Gun Cleaning Kit 10-500

- 4 Large Tube Brushes
- 5 Precision Mini-Twisted Brushes
- 6 Precision Cleaning Needles
- 1 Small Cleaning Rod w/ Brush
- Nylon Bristle Parts Brush



AIRLESS & AIR-ASSISTED AIRLESS

When you need the finest of finishes at the fastest rate turn to Titan's airless and air-assisted airless fine finish sprayers.

Features:

High Production Fine Finishing

All Architectural Coatings

From clears to finish-quality latex.

Zero Pressure Fluctuation

ED 655 Plus

A compact, lightweight system that's easy to use, easy to transport, and dependable. For fine finish projects and the contractors who tackle them, we designed the Titan ED 655 Plus.



ED655 Plus

Comes with RX-80 Gun, SC-6+ 412 Fine Finish Tip, 1/4" x 50' Fluid Hose and 3/16" x 3' Whip Hose.

AirCoat™ Airless & Air-Assisted Airless

Two systems in one! Uses low airless fluid pressure in the air-assisted mode to deliver ultra fine atomization with higher transfer efficiency. The airless mode uses high pressure to spray interior and exterior paints. Atomize all fine finish coatings at lower pressure for great control.



AirCoat AAA

Comes with GM 3600 AA Gun, Brilliant 9/20 Tip, 1/4" x 50' Red/Clear Bonded Hose, 5' Fluid Whip and 5' Air Whip.

	ED 655 Plus
SPECIFICATIONS	
Max. Delivery	0.35 GPM
Max. Tip Size	0.017"
Max. Fluid Pressure	3000 psi
Max. Hose Length	300'
Weight	27 lbs.
Fluid and Air Hose Length	50' with 3' Whip
Spray Gun	RX-80™
Pump Motor	1/2 HP TEFC
CONFIGURATIONS	
	PART NO.
ED 655 Plus	508090

	AirCoat
SPECIFICATIONS	
Max. Delivery	0.35 GPM
Max. Tip Size	0.017"
Max. Fluid Pressure	100–2800 psi
Max. Air Pressure	35 psi
Weight	56 lbs.
Fluid and Air Hose Length	50' with 5' Whip
Spray Gun	GM 3600
Pump Motor	1/2 HP TEFC
CONFIGURATIONS	
	PART NO.
AirCoat AA with Hopper	0508074A
Bare Unit	550039

MULTIFINISH® 440

0.54 GPM

Recommended for high production fine finishing and architectural coatings

Features:

High Production

High-speed and fine finish in one sprayer

Versatility

Use as an Air-Assisted Airless or standard airless sprayer.

Efficient Compressor

Easy to start, quiet and efficient.

Powerful

Spray all fine finishes without thinning.

Optional Accessories:



1-Gallon Impact Hopper Kit 704-453

- Attaches to Impact X 410 to 540; Impact 440 to 640 skid.
- Ideal for small applications or fine finish work
- Quick, easy clean-up



■ Comes with the GM 3600 AA Gun, 415 Tip, 1/4" x 50" Red/Clear Bonded Hose, 5' Fluid Whip and 5' Air Whip.



MultiFinish 440

The MultiFinish 440 is a high production air-assisted airless sprayer built on the legendary Titan 440 airless sprayer platform, offering two systems in one. It sprays all fine finish coatings with little or no reduction.

MultiFinish 440	
SPECIFICATIONS	
Max. Delivery	0.54 GPM
Max. Tip Size (1-Gun)	0.023"
Max. Fluid Pressure	3300 psi
Max. Air Pressure	35 psi
Weight	90 lbs.
Fluid and Air Hose Length	50' with 5' Whip
Spray Gun	GM 3600
Pump Motor	7/8 HP PMDC
Part Number	524029

GM 3600 PRO GUN

This air-assisted airless gun offers ergonomic comfort and a reversible tip system without sacrificing finish quality. It works with both standard reversible tips and Brilliant™ Flat Tips.

GM 3600 PRO GUN

- ▶ Inline Filter for Clean Coatings
- ▶ Stainless Steel Fluid Passage
- ▶ Pressure rated at 3600 psi (24.8 MPa)

DESCRIPTION	PART NO.
3600 AirCoat Gun with Reversible Tip Guard	2404548
Air Cap Assembly for Reversible Tip	524359
Air Cap Only	524375
3600 AirCoat Gun with Flat Tip Guard*	2412194
Air Cap Assembly for Flat Tip	524360
AirCoat Test Air Cap Kit	524229

*Includes 9/20 Flat Tip.



GM 3600 Pro Gun
with Flat Tip Guard
2412194

Includes a 9/20 flat tip.



Red/Clear 50-foot
Bonded Hose 524333



Accessories

DESCRIPTION	PART NO.
Blue Air Cap for Water-based Materials (Water-based Paints)*	394911
Green Air Cap for Water-based materials and Solvent-based Materials (Low Air Consumption)*	394912
Red Air Cap for Solvent-based Materials*	394910
AirCoat Nozzle Extension: 12'	394090

*Includes Union Nut

BRILLIANT™ FLAT TIP SIZES (For GM 3600 Gun)				
DESIGNATION	ORIFICE DIAMETER	ANGLE	RECOMMENDED FILTER	PART NO.
9/20	0.009	20	180 Mesh	526209
9/40	0.009	40	180 Mesh	526409
11/10	0.011	10	180 or 100 Mesh	526111
11/20	0.011	20	180 or 100 Mesh	526211
11/40	0.011	40	180 or 100 Mesh	526411
13/10	0.013	10	100 Mesh	526113
13/20	0.013	20	100 Mesh	526213
13/40	0.013	40	100 Mesh	526413
15/10	0.015	10	100 Mesh	526115
15/20	0.015	20	100 or 50 Mesh	526215
15/40	0.015	40	100 or 50 Mesh	526415
17/20	0.017	20	50 Mesh	526217
17/40	0.017	40	50 Mesh	526417



■ Packaged

■ Bulk with Tip Guard

■ Bulk

Our aluminum gun extensions are lightweight and easy to handle and can be used with all 7/8" thread airless spray guns.

- Pressure rated at 3600 psi (24.8 MPa).

Packaged Extensions

DESCRIPTION	PART NO.
5" Gun Extension	2418848
10" Gun Extension	2418850
20" Gun Extension	2418851
30" Gun Extension	2418852

Bulk Extensions with Tip Guard

DESCRIPTION	PART NO.
5" Gun Extension	2418843
10" Gun Extension	2418845
20" Gun Extension	2418846
30" Gun Extension	2418847

Bulk Extensions

DESCRIPTION	PART NO.
5" Gun Extension	2418836
10" Gun Extension	2418839
20" Gun Extension	2418840
30" Gun Extension	2418841

Micro Swivel™



Use between the sprayer and hose, hose and hose, or hose and gun to prevent kinking and damage to the spray hose.

- Stainless-steel construction for use with all spray materials
- Full 360-degree rotation even under high pressure
- Makes spray hose management easier and safer
- Maximum Pressure is 7500 psi / 51.7 MPa

DESCRIPTION	PART NO.
1/4" Micro Swivel	2454970
3/8" Micro Swivel	2454971



EZ-Swivel™

Spray in all those hard-to-reach places without binding your hose.

- Stainless-steel construction for use with all spray materials
- Maximum Pressure is 7500 psi / 51.7 MPa

DESCRIPTION	PART NO.
1/4" EZ-Swivel	2454975



Anti-Spit Valve 2460751

Shuts fluid off at the spray tip to minimize painting spitting and deliver a superior finish every time.

- Works with all 7/8" G thread reach tools
- Minimum 1500 psi (10.3 MPa) for operation



SC-6+ Fine Finishing Tip



SC-6+ Fine Finish Tip & Guard Combo Kit

SC-6+ Fine Finishing Tips 671-XXX

- Atomize coatings up to 27% finer than with a standard tip
- Maximum transfer efficiency
- Interchangeable with industry standard tip guards
- Ideal for stains, lacquers and light-bodied clear finishes

			ORIFICE SIZE (INCHES)			
FAN PATTERN WIDTH	INCHES	MM	0.008	0.010	0.012	0.014
	4-6	102-152	208	210	212	214
	6-8	152-203	308	310	312	314
	8-10	203-254	408	410	412	414
	10-12	254-305		510	512	
	12-14	305-356			612	
	Flow (GPM)	---	0.07	0.11	0.16	0.21
	Flow (LPM)	---	0.26	0.42	0.60	0.79

Maximum Working Pressure: 5000 psi (34.5 MPa)

SC-6+ Fine Finish Tip & Guard Combo Kit

- Ideal for lacquers, stains, enamels and clear coats
- Particle size up to 27% smaller than a standard tip
- Double orifice provides a soft spray pattern delivering a fine finish
- Extremely durable with the industry's longest lasting orifice.


DESCRIPTION	PART NO.
205 Fine Finish Tip & Guard Combo Pack	671-208G
210 Fine Finish Tip & Guard Combo Pack	671-210G
310 Fine Finish Tip & Guard Combo Pack	671-310G
312 Fine Finish Tip & Guard Combo Pack	671-312G
408 Fine Finish Tip & Guard Combo Pack	671-408G
410 Fine Finish Tip & Guard Combo Pack	671-410G

Airless Spray Tip and Filter Recommendation Chart

	VISCOSITY	FILTER MESH (COLOR)	ORIFICE RANGE	SYNERGY™ (FINE FINISH)
Varnishes	Light	100 (Y) – 150 (R)	.009" – .011"	.008" – .010"
Lacquer Finishes (clear)	Light	100 (Y) – 150 (R)	.009" – .011"	.008" – .010"
Sanding Sealers	Light	100 (Y) – 150 (R)	.009" – .011"	.008" – .010"
Shellac (clear)	Light	100 (Y) – 150 (R)	.009" – .013"	.008" – .012"
Transparent Stain	Light	100 (Y) – 150 (R)	.011" – .013"	.010" – .012"
Water Sealers (clear)	Light	100 (Y) – 150 (R)	.011" – .013"	.010" – .012"



WEARGUARD CONVENIENCE PROGRAM KEEPS YOU UP AND RUNNING



When you purchase a new Titan sprayer, you're able to take advantage of our exclusive WearGuard Convenience Program. Protect your investment by purchasing a spare fluid section or PermaStroke kit at a discounted rate. Save yourself the time and frustration of an extra trip or waiting for parts to arrive in the event that your sprayer goes down. When you have a backup fluid section or PermaStroke kit on hand, replacement can quickly be made without leaving the jobsite and doesn't require special tools. The bottom line is that WearGuard keeps you up and running.


Not interested in purchasing a spare fluid section? We also offer the option of a free packing kit on select sprayers.

**For more information
on pricing and how to
order, go to:**

**www.titanwearguard.com
or scan the QR code.**



KEEP TITAN WITH YOU WHEREVER YOU GO



MyTitan™ gives you immediate access to all things Titan. Anywhere, anytime on your computer or mobile device. MyTitan gives you everything you need to get the most out of your sprayers, all in one place, no matter where the workday takes you. MyTitan is designed to make your life easier, your business more efficient, and your day more productive—so you can stay ahead of the game, do more in less time, and never lose track of another detail.

**For more information on
this new app, go to:**

**[www.titantool.com/
mytitan-welcome](http://www.titantool.com/mytitan-welcome)
or scan the QR code.**



THOR
TITAN HUB FOR ONLINE REDEMPTION

ONLINE REWARD REDEMPTION NO CLIPPING. NO STAMPS. NO HASSLES.

**For more information and to see current promotions, go to:
www.titantool.com/thor-promos or scan the QR code.**



All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.